


Appln No.: 10/720,606 Page 1 of 6
Applicant(s): Vladimir Fuflyigin et al.
DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE SAME



Page 2 of 6

Appln No.: 10/720,606 Page 2 of 6
Applicant(s): Vladimir Fuflyigin et al.
DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE





FIG. 2


Applicant(s): Vladimir Fuflyigin et al.

DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE

HE₁₁ radiation losses R_c = 500 μ m, N_1 = 55, n_n/n_1 = 2.7/2.3




HE₁₁ dissipation losses R_c = 500 μ m, N_1 = 55, n_n/n_1 = 2.7/2.3



Appln No.: 10/720,606 Page 4 of 6
Applicant(s): Vladimir Fuflyigin et al.
DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE


SAME



Page 5 of 6

Appln No.: 10/720,606 Page 5 of 6
Applicant(s): Vladimir Fuflyigin et al.
DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE

SAME



Appln No.: 10/720,606 Page 6 of 6 Applicant(s): Vladimir Fuflyigin et al. DIELECTRIC WAVEGUIDE AND METHOD OF MAKING THE SAME

Page 6 of 6

